

CdSe Core Quantum Dots 550/570/585 nm CdSe/ZnS Core/Shell Quantum Dots 595/610/620 nm According to EC No 453/2010 Edition date 30/07/2020 Version 4.0

Section 1.- Identification of the substance/mixture and of the company

CdSe/ Core Quantum Dots 550/ 570/ 585 nm Identification of the product:

CdSe/ZnS Core/ Shell Quantum Dots 595/ 610/ 620 nm

Chemical family: Quantum Dots solution

DRP-QDCORE-550 Product name:

DRP-QDCORE-570 DRP-QDCORE-585

DRP-QDCORESHELL-595 DRP-QDCORESHELL-610 DRP-QDCORESHELL-620

Use of the substance/preparation: Research use only

Manufacturer/supplier Metrohm DropSens, S.L. Vivero de Ciencias de la

Salud, Calle Colegio Santo Domingo de Guzmán, s/n, identification:

33010 Oviedo, Asturias, Spain

Tel.- +34 985 27 76 85

E-mail: info.dropsens@metrohm.com

Internet Web Site: www.metrohm-dropsens.com

Metrohm DropSens, S.L. +34 985 27 76 85 **Emergency phone:**

Section 2.- Hazards identification

Classification of the mixture:

According to Regulation CLP (EC) No1272/2008

Acute toxicity, Oral (Category 4) H302 Acute toxicity, Inhalation (Category 3) H331

Skin irritation (Category 2) H315

Eye irritation (Category 2) H319 Carcinogenicity (Category 2) H351

Reproductive toxicity (Category 2) H361d

Specific target organ toxicity – single exposure (Category 3) Central nervous system H336 Specific target organ toxicity – repeated exposure (Category 1) H372

Label elements:





Hazard statements

H302: Harmful if swallowed H315: Causes skin irritation

H319: Causes serious eye irritation

H331: Toxic if inhaled

H336: May cause drowsiness or dizziness

H351: Suspected of causing cancer

H361d: Suspected of damaging fertility or the unborn child

H372: Causes damage to organs through prolonged or repeated exposure

Precautionary statements

P261: Avoid breathing dust/ fume/ gas/ mist/ vapour/ spray



CdSe Core Quantum Dots 550/ 570/ 585 nm CdSe/ZnS Core/Shell Quantum Dots 595/ 610/ 620 nm According to EC N° 453/2010 Edition date 30/07/2020 Version 4.0

P281: Use personal protective equipment as required

P305 + P338 + P351– If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P311: Call a POISON CENTER or doctor/ physician

Section 3.- Composition/Information on ingredients

CdSe Core Quantum Dots 550 nm CAS: none

Concentration: 21 ± 2µM

CdSe Core Quantum Dots 570 nm CAS: none

Concentration: 23 ± 2µM

CdSe Core Quantum Dots 585 nm CAS: none

Concentration: 24 ± 2µM

CdSe/ZnS Core/ Shell Quantum Dots 595 nm CAS: none

Concentration: 24 ± 2µM

CdSe/ZnS Core/ Shell Quantum Dots 610 nm CAS: none

Concentration: $19 \pm 3\mu M$

CdSe/ZnS Core/ Shell Quantum Dots 620 nm CAS: none

Concentration: 20 ± 2µM

ChloroformSynonyms: Trichloromethane, Methylidyne trichloride

Formula: CHCl₃

Molecular weight: 119.38 g/mol

CAS: 67-66-3

Classification: Accute tox. 4; Acute Tox. 3; Skin Irrit. 2;

Eye Irrit. 2; Carc. 2; Repr. 2

Section 4.- First aid measures

- **General advice:** Consult a physician. Show this safety data sheet to the doctor in attendance.
- After skin contact: Wash off with soap and plenty of water. Take victim immediately to hospital. Consult a physician.
- After ingestion: Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a
 physician.
- After eye contact: Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.
- After inhalation: If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

The most important known symptoms and effects are described in the labelling and/ or in section 11.

Section 5.- Fire-fighting measures

- Suitable extinguishing media: use water spray, alcohol resistant foam, dry chemical or carbon dioxide.
- Special hazards arising from the substance: carbon oxides, Hydrogen chloride gas.
- Special protective equipment for fire fighting: Wear self contained breathing apparatus for fire fighting if necessary.
- Further information: Use water spray to cool unopened containers.

Section 6.- Accidental release measures

- Person-related precautionary measures: Use personal protective equipment. Avoid breathing vapours.
 Ensure adequate ventilation. Evacuate personnel to safe areas.
- Environmental precautions: Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.
- Methods and materials for containment and cleaning up: Contain spillage and then with an electrically



CdSe Core Quantum Dots 550/ 570/ 585 nm CdSe/ZnS Core/Shell Quantum Dots 595/610/ 620 nm According to EC N° 453/2010 Edition date 30/07/2020 Version 4.0

protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations.

Procedures for cleaning/absorption: Keep in suitable, closed containers for disposal.

Section 7.- Handling and storage

- Handling: Use personal protective equipment as required. Wear personal protective equipment. Avoid contact
 with skin and eyes. Avoid inhalation of vapour or mist.
- Storage: Store in cool place. Keep container tightly closed in a dry and well-ventilated place. Containers which
 are opened must be carefully resealed and kept upright to prevent leakage. Storage classification: Noncombustible, acute toxicity Cat. 3/ toxic hazardous materials or hazardous materials causing chronic effects.

Section 8.- Exposure controls/personal protection

At this time, the limited evidence available suggests caution when potential exposures to nanoparticles may occur. Due to the limited information about health risks from nanomaterials, it is prudent to take steps for minimizing worker exposures. Research is still needed to understand the impact of nanotechnology on health, and to determine appropriate exposure monitoring and control strategies.

Exposure controls

Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product.

_	Hand protection	Handle with gloves.	Gloves must be inspected prior to use. Us	se proper glove
---	-----------------	---------------------	---	-----------------

removal technique to avoid skin contact with this product.

Eye protection
 Safety glasses with side-shields conforming to NIOSH (US) or EN166 (EU)

- Skin and body protection Choose body protection according to the amount and concentration of the

dangerous substance at the work place. Handle with gloves. Wash and dry hands. The selected protective gloves have to satisfy the specifications of EU

Directive 89/686/EEC and standard EN 374 derived from it.

Hygiene measures
 Handle in accordance with good industrial hygiene and safety practice. Wash

hands before breaks and at the end of workday.

Section 9.- Physical and chemical properties

General information: – Form: liquid

Important health, safety and environmental information:

- pH value: No data available
- Odour: no data available
- Melting point/ freezing point: Melting point/ range: -63°C
- Initial boiling point and boiling range: 60.5 61.5 °C
- Flash point: no data available
- Vapour pressure: 213.3 hPa at 20°C
- Vapour density: no data available
- Relative density: 1.492 g/mL at 25°C
- Density: not determined
- Solubility in water (20°C): No data available

Section 10.- Stability and reactivity

- Reactivity: No data available
- Chemical Stability: Stable under recommended storage conditions.
- Possibility of hazardous reactions: No data available.
- Incompatible materials: No data available.
- Conditions to avoid: No data available.
- Hazardous decomposition products: Other decomposition products no data available.
- Further information: Stable under recommended storage conditions.



CdSe Core Quantum Dots 550/ 570/ 585 nm CdSe/ZnS Core/Shell Quantum Dots 595/ 610/ 620 nm According to EC N° 453/2010 Edition date 30/07/2020 Version 4.0

Section 11.- Toxicological information

At this time, the limited evidence available suggest caution when potential exposures to nanoparticles may occur. Due to the limited information about health risks from nanomaterials, it is prudent to take steps for minimize exposures. Studies have indicated that low solubility nanoparticles are more toxic than larger particles on a mass for mass basis. There are strong indications that particles surface area and surface chemistry are responsible for observed responses in cell cultures and animals. There are indications that nanoparticles can penetrate through the skin or move from the respiratory system to other organs.

Acute toxicity: No data available.

LD50 Oral - Rat - 908 mg/kg

Remarks: Behavioral:Change in motor activity (specific assay). Behavioral:Ataxia. Lungs, Thorax, or Respiration:

Respiratory stimulation.

LOEC Inhalation - Rat - male - 6 h - 500 ppm LD50 Dermal - Rabbit - > 20.000 mg/kg

Skin corrosion/irritation:

Skin - Rabbit

Result: Irritating to skin. - 24 h

Serious eye damage/eye irritation:

Eyes - Rabbit

Result: Irritating to eyes. - 24 h

Respiratory or skin sensitisation: Did not cause sensitisation on laboratory animals.

Germ cell mutagenicity: Laboratory experiments have shown mutagenic effects.

Carcinogenicity:

Carcinogenicity - Rat - Oral

Tumorigenic:Carcinogenic by RTECS criteria. Leukaemia

The National Cancer Institute (NCI) has found clear evidence for carcinogenicity. Limited evidence of a carcinogenic effect.

IARC: 2B - Group 2B: Possibly carcinogenic to humans (Chloroform)

Reproductive toxicity: Suspected of damaging the unborn child. Suspected human reproductive toxicant

Specific target organ toxicity - single exposure: May cause drowsiness or dizziness.

Specific target organ toxicity - repeated exposure: The substance or mixture is classified as specific target organ toxicant, repeated exposure, category 1. - Liver, Kidney

Aspiration hazard: No data available.

Additional Information:

RTECS: FS9100000

Vomiting, Gastrointestinal disturbance, Exposure to and/or consumption of alcohol may increase toxic effects., To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Section 12.- Ecological information:

Toxicity

Toxicity to fish LC50 - Leuciscus idus (Golden orfe) - 162 mg/l - 48 h

LC100 - Leuciscus idus (Golden orfe) - 220 mg/l - 48 h

LC50 - other fish - 97 mg/l - 96 h

LC50 - Danio rerio (zebra fish) - 121 mg/l - 96 h

NOEC - Oryzias latipes - 122 mg/l - 10 d

NOEC - Oncorhynchus mykiss (rainbow trout) - 24 mg/l - 96 h



CdSe Core Quantum Dots 550/570/585 nm CdSe/ZnS Core/Shell Quantum Dots 595/610/620 nm According to EC No 453/2010 Edition date 30/07/2020 Version 4.0

Toxicity to daphnia and other aquatic invertebrates:

EC50 - Daphnia magna (Water flea) - 79,00 mg/l - 24 h Immobilization EC50 - Daphnia magna (Water flea) - 51,6 mg/l - 48 h NOEC - Daphnia magna (Water flea) - 120 mg/l - 11 d Toxicity to algae EC50 - No information available. - 500,00 mg/l - 24 h

Persistence and degradability No data available **Bioaccumulative potential**

Bioaccumulation: Lepomis macrochirus (Bluegill) - 14 d - 0,11 mg/l

Bioconcentration factor (BCF): 6

Mobility in soil: No data available

Results of PBT and vPvB assessment This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Other adverse effects: Harmful to aquatic life

Section 13.- Disposal considerations

- Product: Observe all federal, state, and local environmental regulations. Contact a licensed professional waste disposal service to dispose this material.
- Contaminated packaging: Dispose of as unused product.

Section 14.- Transport information

UN number: 1888 Road transport ADR/RID:

> UN proper shipping name: CHLOROFORM Transport hazard class: 6.1. Packaging group: III

Environmental hazards: No

UN number: 1888 Sea transport IMDG:

> UN proper shipping name: CHLOROFORM Transport hazard class: 6.1. Packaging group: III Environmental hazards: Marine pollutant: no

UN number: 1888 Air transport IATA:

UN proper shipping name: Chloroform

Transport hazard class: 6.1. Packaging group: III

Environmental hazards: no

Section 15.- Regulatory information

This safety datasheet has been revised to comply with the requirements establish in (EC) 453/2010.

Section 16.- Other information

Date of creation: 09/01/2017

Author: Carla Navarro

Revised by: Pablo Fanjul Bolado (R&D manager, Metrohm DropSens, S.L.) The contents and format of this MSDS are in accordance with EC 453/2010.



CdSe Core Quantum Dots 550/ 570/ 585 nm CdSe/ZnS Core/Shell Quantum Dots 595/610/ 620 nm According to EC N° 453/2010 Edition date 30/07/2020 Version 4.0

Disclaimer: Metrohm DropSens S.L. provides the information contained herein in good faith and makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgment in determining its appropriateness for a particular purpose. As the conditions or methods of use are beyond our control, we do not assume any responsibility and expressly disclaim any liability for any use of this material.