

Cable connectors for screen-printed electrodes and interdigitated electrodes

01

Refs. CAC, CAC-NTC, CAC-P, CAC4MMH, BICAC, CAC8X, CACIDE, CACIDE-P, CACIDEMEA, CAC-TLFCL, CONNECT4W, CONNECT8W

Metrohm DropSens offers connectors that act as an interface between our electrodes and any kind of potentiostat, by means of 2 mm bananas and alligator clip connectors.

Cable connector for screen-printed electrodes

Ref. CAC

Connects single (1 WE) SPEs to any kind of potentiostat. Recommended when using DropSens SPEs in conjunction with flow-cells and cells, or by dipping the SPEs in solution.



Cable connector for plastic substrate screen-printed electrodes

Ref. CAC-P

Connects single (1 WE) plastic SPEs to any kind of potentiostat. Recommended when using DropSens SPEs in conjunction with flow-cells and cells, or by dipping the SPEs in solution.



Cable connector for screen-printed electrodes with integrated temperature sensor

Ref. CAC-NTC

Connects single (1 WE) integrated NTC temperature sensor (ref. C110-NTC) to any kind of potentiostat. Recommended when using DropSens SPEs in conjunction with our flow-cells and cells, or by dipping the SPEs in solution.



Cable connector for screen-printed electrodes

Ref. CAC4MMH

Connects single (1 WE) SPEs to any kind of potentiostat through 4 mm female bananas. Recommended when using DropSens SPEs in conjunction with our flow-cells and cells, or by dipping the SPEs in solution.



Cable connector for dual screen-printed electrodes

Ref. BICAC

Connects dual (2 WE) SPEs to any kind of bipotentiostat. Recommended when using DropSens SPEs in conjunction with our flow-cells and cells, or by dipping the SPEs in solution.



Cable connector for format 8X screen-printed electrodes

Ref. CAC8X

Connects 8X format SPEs (array of 8 electrochemical cells) to any kind of multipotentiostat.



Cable connectors for screen-printed electrodes and interdigitated electrodes

Refs. CAC, CAC-NTC, CAC-P, CAC4MMH, BICAC, CAC8X, CACIDE, CACIDE-P, CACIDEMEA, CAC-TLFCL, CONNECT4W, CONNECT8W

Metrohm DropSens offers connectors that act as an interface between our electrodes and any kind of potentiostat, by means of 2 mm bananas and alligator clip connectors.

Cable connector for interdigitated electrodes

Refs. CACIDE, CACIDE-P

Connects interdigitated electrodes (IDEs) in glass or ceramic substrate (CACIDE) or in plastic substrate (CACIDE-P) to any kind of potentiostat.



Cable connector for interdigitated electrodes

Ref. CACIDEMEA

Connects interdigitated electrodes (IDEs) in glass with auxiliary and reference electrode to any kind of potentiostat.



Cable connector for thin-layer flow-cell electrodes

Ref. DRP-CAC-TLFCL

Acts as an interface between the thin-layer flow cell screen-printed electrodes and any kind of potentiostat.



Connector for 4W format electrodes

Ref. CONNECT4W

Connects 4W format electrodes to any kind of potentiostat.



Connector for 8W format electrodes

Ref. CONNECT8W

Connects 8W format electrodes to any kind of potentiostat.



www.metrohm-dropsens.com